

MAIN FUNCTION:

- 1. Monitor the air quality in real-time, the machine works automatically
- 2. Efficient remove the harmful gas such as formaldehyde, benzene TOV, remove odors, etc.
- 3. Active oxygen monitor in real-time. Automaticly control the concentration of active oxygen released by machine
- 4. Ultraviolet sterilization, Every kinds of microorganisms can be killed, including reproductive body, spores mycobacteria, fungi, viruses, etc.
- 5. The front filter, formaldehyde filter, activated carbon filter, HEPA filter. Four layers high efficiency filtration
- 6. High quantity of anion can absorb harmful materials, Promote the body's metabolism, improve human immunity

Specification:

THE THE PARTY OF T	
1) Rate Voltage	AC100-240V/50 60HZ
2) Power	80W
3) Ozone output	500mg/h
4) Negative- ion output	5*106pcs/cm3
5) Dimensions	320*199*645 mm
6) Net weight	8kg
7) Color	milk white
8) Materials	ABS
9) UV lamp power	5W
11) Timing	1H 2H 4H 8H 12H
12) Feature	HEPA, active carbon net, Sensor, touch screen, remote control

Product details







Air sensor & 3 color show air quality





This unit can produce Negative Ion, which abounds in our natural environments such as forests, waterfalls, mountains and seaside. Negative ions are useful for enhancing the metabolism and homeostasis of the human body. effective in removing pollen, dust, mold spores and other harmful particles from the air and are able to improve mood.

The machine also has ozoen function ,ozone plays a important role in removing the odor in the air, It is much more effective inn removing pollutants and odors, and is a powerful oxidant that kills lower organism like bacteria, mold and viruses.



Application






High resolution touch screen

Directly show the working status , also can lean the humidity and tempareture in time;

With 2 working modes , under the auto mode , the machine can auto adjust the fan speed according to the air quality changing

9 in 1 multi function purify



Product details



With an invisible handle on the back of machine, easy to move

45 degree air outlet design ,auto on/off with the machine power, keep the machine inside clean



Auto power off when open the front cover to protect the customer;s safety

Specification (GL-8138)

Timer: 1-2-4-8-12 hours Flow: Hi-Mi-Low-Auto

Air quality sensor: yes

Power: 73watt

Ozone output: 500mg/h Negative ion: 5×10⁶pcs/cm³

Working area: 80-100 square meter Dimension: L320×W199×H645 mm

Integrated filter size: 381×241×48mm





Tel: 02 964 8018 I Line ID: @scilution